


62

1957 WHOLESALE QUANTITY PRICE LIST

CLYDE ROBIN
CARMEL VALLEY, CALIFORNIA
U.S.A.



PRICE LIST FOR THE TRADE ONLY
DO NOT DISTRIBUTE THROUGH RE-
TAIL CHANNELS

THIS PRICE LIST CANCELS ALL
PREVIOUS PRICE LISTS

PLEASE READ BEFORE ORDERING

No seeds on this price list will be collected unless orders for same are in my hands prior to May 15, 1957. I have neither the time nor the energy to collect and stockpile quantities of seeds unless I have advance orders for them.

PRICES

All seeds are listed at the ounce rate. The price for a pound of any item is at 15 times the ounce rate. All prices are subject to change. Half ounce rates are at half the ounce price. Do not order lesser quantities than one half ounce from this price list. For lesser quantities than one half ounce please see my retail packet catalog. Write for a copy if you do not have one.

DISCOUNTS

All orders paid for in full and in advance may gain a ten percent discount from the whole.

PAYMENT

All orders must be accompanied by payment of twenty five percent or more of the entire order which will constitute a collecting authorization for me. The balance of your payment may be made within ten days after receipt of your seeds if you are in the trade. Remittances may be by personal check or money order within the United States and Canada and U. S. possessions. From other locations, please use international money orders or bank drafts.

Let me repeat, I will not accept orders nor collect seeds for which I do not receive twenty five percent payment of the total order in advance. I search the entire North American continent for my seeds and will not collect without this percentage deposit.

POSTAGE

All orders within the continental limits of the United States and Canada are sent postpaid. For all other destinations, postage will be included in the invoice. Airmail, if desired, to any destination will be included in invoice.

SHIPPING

Customers outside the United States please send import license number, if necessary, to secure shipment of your order through your customs. This applies especially to H. M. Customs, England.

SALES TAX AND LICENSE NUMBER FOR RESALE

California customers ONLY send four percent sales tax with orders unless seeds are for resale. - in which case send your resale license number.

ORDERING

Minimum order accepted from this wholesale price list is \$10.00 or other monetary exchange dollar equivalent. All orders filled as soon as seeds are collected, processed and/or cured. Substitutions are not made. Refunds will be sent promptly if I cannot collect the seeds you have ordered.

ADDRESS ALL ORDERS TO

CLYDE ROBIN
COLLECTOR OF WILDFLOWER SEEDS
CARMEL VALLEY, CALIFORNIA
U.S.A.

SEED	PER OUNCE	SEED	PER OUNCE
<i>Abies balsamea</i> - cs	1.00	<i>Ceanothus griseus</i> - semi cs	5.00
<i>Abies concolor</i> - cs	1.00	<i>Ceanothus griseus horizontalis</i> - semi cs	5.00
<i>Abies magnifica</i> - cs	2.25	<i>Ceanothus americanus</i> - cs	1.50
<i>Abies magnifica shastensis</i> - cs	3.50	<i>Ceanothus arboreus</i> - semi cs	3.50
<i>Abies lasiocarpa</i> - cs	2.00	<i>Ceanothus cyaneus</i> - cs	3.00
<i>Abies lasiocarpa arizonica</i> - cs	2.50	<i>Ceanothus integrifolius</i> - cs	3.00
<i>Abies grandis</i> - cs	3.00	<i>Ceanothus megacarpus</i> - cs	3.30
<i>Abies homolepis</i> - cs	1.30	<i>Ceanothus olivaceus tomentosus</i>	4.50
<i>Abies pinsapo</i> - cs	1.00	<i>Ceanothus purpureus</i> - cs	4.50
<i>Abies veitchi</i> - cs	1.30	<i>Ceanothus spinosus</i> - cs	3.50
<i>Abronia latifolia</i> - seed heads	5.00	<i>Ceanothus verrucosus</i> - cs	3.50
<i>Abronia umbellata</i> - seed heads	3.00	<i>Ceanothus impressus</i> - cs	4.00
<i>Acacia farnesiana</i> - cs	2.50	<i>Ceanothus palmeri</i> - cs	2.50
<i>Acaena californica</i> - cs	2.50	<i>Ceanothus rigidus</i> - cs	4.50
<i>Acer macrophyllum</i> - whole seed	1.50	<i>Cea. divaricatus eglandulosus</i>	2.50
<i>Acer negundo</i> - cs	.50	<i>Ceanothus ramulosus</i> - semi cs	5.00
<i>Acer grandidentatum</i> - cs	1.00	<i>Ceanothus thrysiflorus</i> - semi cs	3.00
<i>Acer platanoides</i> - cs	.50	<i>Ceanothus dentatus</i> - cs	4.50
<i>Achillea millefolium</i> - cs	7.00	<i>Ceanothus roweanus</i> - cs	30.00
<i>Achillea millefolium maritima</i>	8.00	<i>Ceanothus porrectus</i> - cs	9.00
<i>Adenostoma fasciculatum</i> - cs	4.00	<i>Ceanothus microphyllus</i> - cs	4.00
<i>Ailanthus altissima</i> - cs	.50	<i>Ceanothus jepsoni</i> - semi cs	15.00
<i>Anthemis cotula</i> - cs	2.50	<i>Celtis occidentalis</i> - cs	.50
<i>Antirrhinum glandulosum</i> - cs	9.00	<i>Cercidium torreyanum</i> - cs	2.00
<i>Aquilegia coerulea</i> - cs	4.00	<i>Cercis occidentalis</i> - cs	1.30
<i>Aquilegia truncata</i> - cs	4.00	<i>Chilopsis linearis</i> - cs	2.50
<i>Arabis glabra</i> - cs	8.00	<i>Chlorogalum pomeridianum</i> - cs	8.50
<i>Arctostaphylos mariposa</i> - db	2.00	<i>Clarkia elegans</i> - cs	5.00
<i>Arctostaphylos hookeri</i> - db	3.00	<i>Clematis columbiana</i> - cs	5.00
<i>Arctostaphylos pumila</i> - db	3.00	<i>Clematis hirsutissima</i> - cs	5.00
<i>Arctostaphylos manzanita</i> - db	1.50	<i>Clematis ligusticifolia</i> - silk	25.00
<i>Arctostaphylos bicolor</i> - db	1.50	<i>Clematis lasiantha</i> - in silk	25.00
<i>Arctostaphylos drupacea</i> - db	1.50	<i>Cneoridium dumosum</i> - cs	1.00
<i>Arctostaphylos uva-ursi</i> - db	1.00	<i>Condalia parryi</i> - cs	1.00
<i>Arctostaphylos</i> - <i>glaucha</i> db	1.00	<i>Cornus californica</i> - db	4.50
<i>Arctostaphylos patula</i> - db	2.00	<i>Cornus nuttali</i> - db	1.00
<i>Arctostaphylos tomentosa</i> - db	1.50	<i>Cornus florida</i> - db	1.00
<i>Arctostaphylos glandulosa</i> db	1.50	<i>Cornus stolonifera</i> - db	1.00
<i>Armeria arctica californica</i>	2.50	<i>Cornus glabrata</i> - db	5.00
<i>Artemisia californica</i>	2.00	<i>Cornus racemosa</i> - db	1.00
<i>Artemisia vulgaris heterophylla</i> - cs	2.00	<i>Cornus amomum</i> - db	1.00
<i>Asclepias tuberosa</i> - cs	3.00	<i>Cotula coronopifolia</i> - cs	12.00
<i>Asclepias eriocarpa</i> - with silk	2.50	<i>Crataegus macrosperma</i>	1.00
<i>Astragalus coccineus</i> - cs	7.00	<i>Cupressus arizonica</i> - cs	2.50
<i>Atriplex hymenelytra</i> - cs	8.00	<i>Cupressus forbesi</i> - cs	3.00
<i>Betula lenta</i> - cs	1.00	<i>Cupressus macrocarpa</i> - cs	2.00
<i>Betula populifolia</i> - cs	1.00	<i>Cupressus macrocarpa glauca</i> - cs	2.50
<i>Brassica campestris</i> - cs	2.00	<i>Cupressus stephensonii</i> - cs	3.00
<i>Briza maxima</i> - cs	5.00	<i>Cupressus goveniana</i> - cs	25.00
<i>Briza minor</i> - cs	11.00	<i>Cynoglossum grande</i> - cs	9.00
<i>Brodiaea capitata</i> - cs	7.00	<i>Cytisus monspessulanus</i> - in pod	1.00
<i>Brodiaea ixiooides</i> - cs	9.00	<i>Cytisus scoparius</i> - cs	1.00
<i>Bloomeria crocea</i> - cs	4.00	<i>Dalea schotti puberula</i>	3.50
<i>Cakile edentula californica</i> - cs	2.00	<i>Dalea spinosa</i>	6.00
<i>Calandrinia caulescens</i> - cs	4.50	<i>Datura stramonium</i> - cs	14.00
<i>Calliandra eriophylla</i> - cs	6.00	<i>Datura stramonium tatula</i> - cs	9.00
<i>Calochortus albus</i> - cs	7.00	<i>Delphinium californicum</i> - cs	7.50
<i>Calochortus concolor</i> - cs	7.00	<i>Delphinium cardinale</i> - cs	8.00
<i>Calochortus nuttalli australis</i>	7.00	<i>Delphinium parishii</i> - cs	8.00
<i>Calochortus weedi</i> - cs	7.50	<i>Delphinium decorum</i> - cs	12.00
<i>Calochortus splendens</i> - cs	7.00	<i>Delphinium parryi</i> - cs	5.00
<i>Calochortus dumini</i> - cs	7.00	<i>Dendromecon rigida</i> - cs	17.00
<i>Calochortus luteus</i> - cs	6.00	<i>Dipsacus fullonum</i> - cs	3.00
<i>Calycanthus occidentalis</i> - cs	2.30	<i>Dodecatheon clevelandi</i> - cs	11.00
<i>Calycanthus florida</i> - cs	1.50	<i>Dudleya caespitosa</i> - cs	30.00
<i>Camassia quamash</i> - cs	2.50	<i>Dudleya farinosa</i> - cs	30.00
<i>Cassia armata</i>	2.50	<i>Dudleya laxa</i> - cs	30.00
<i>Carpenteria californica</i> - cs	13.00	<i>Eleagnus angustifolia</i> - cs	.50
<i>Castilleja douglasii</i> - cs	9.00	<i>Emmenanthe penduliflora</i> - cs	8.00
<i>Castilleja latifolia</i> - cs	6.00	<i>Eremocarpus setigerus</i> - cs	27.00
<i>Ceanothus gloriosus</i> - cs	9.00	<i>Erigeron glaucus</i> - cs	5.00
<i>Ceanothus gloriosus exaltatus</i>	9.00	<i>Eriodictyon californicum</i> - cs	20.00

SEED	PER OUNCE	SEED	PER OUNCE
<i>Eriodictyon tomentosum</i> - cs	30.00	<i>Lupinus nanus</i>	1.25
<i>Eriogonum arborescens</i> - (all	7.00	<i>Lupinus succulentus</i> - cs	6.00
<i>Eriogonum giganteum</i> - sifted	6.00	<i>Mahonia nervosa</i> - db	1.25
<i>Eriogonum latifolium</i> - seed	2.50	<i>Mahonia pinnata</i> - db	1.25
<i>Eriogonum parvifolium</i> - sprays)	3.50	<i>Mahonia aquifolium</i> - db	1.00
<i>Eriophyllum staechadifolium</i>	4.50	<i>Marrubium vulgare</i> - cs	1.25
<i>Euonymus parishii</i>	3.00	<i>Mentzelia lindleyi</i> - cs	3.50
<i>Erysimum capitatum</i> - cs	7.50	<i>Mimulus aurantiacus</i> - cs	11.00
<i>Erythronium grandiflorum</i> - cs	5.00	<i>Mimulus longiflorus</i> - cs	16.00
<i>Eschscholtzia californica</i> - cs	.75	<i>Mimulus guttatus</i> - cs	25.00
<i>Eschscholtzia lobbi</i> (<i>pulchella</i>)	1.50	<i>Myrica californica</i> - db	4.00
<i>Euphorbia lathyris</i> - db	3.50	<i>Myrica carolinensis</i> - db	2.00
<i>Fallugia paradoxa</i>	13.00	<i>Nemophila maculata</i> - cs	4.00
<i>Foeniculum vulgare</i> - cs	3.00	<i>Nemophila menziesi</i> - cs	1.25
<i>Fouqueria splendens</i>	5.00	<i>Nicotiana bigelovii</i> - cs	7.00
<i>Fraxinus americana</i> - cs	.50	<i>Nicotiana glauca</i> - cs	10.00
<i>Fraxinus lanceolata</i> - cs	.50	<i>Oenothera cheiranthifolia</i>	
<i>Fraxinus latifolia</i> - whole	1.00	nitida - cs	7.00
<i>Fraxinus velutina</i> - whole	1.00	<i>Oenothera hookeri</i> - cs	3.00
<i>Fremontia californica</i> - cs	2.50	<i>Oenothera hookeri montereyensis</i>	5.00
<i>Fremontia mexicana</i> - cs	5.00	<i>Olneya tesota</i> - cs	1.25
<i>Garrya fremontii</i> - cs	1.00	<i>Orthocarpus purpurascens</i> - cs	6.00
<i>Garrya flavescens</i> - cs	3.00	<i>Osmaronia cerasiformis</i> - db	4.00
<i>Garrya veatchii</i> - cs	3.00	<i>Paeonia brownii</i> - cs	1.50
<i>Fritillaria pudica</i> - cs	5.00	<i>Pasania densifolia</i> - ea seed	.15
<i>Gentiana calycosa</i> - cs	12.00	<i>Pentstemon antirrhinoides</i> - cs	8.50
<i>Gentiana romanzovi</i> - cs	16.00	<i>Pentstemon azureus</i> - cs	8.50
<i>Gaultheria shallon</i> - db	3.50	<i>Pentstemon breviflorus</i> - cs	8.00
<i>Gilia achillaefolia</i> - cs	1.25	<i>Pentstemon bridgesii</i> - cs	8.50
<i>Gilia capitata</i> - cs	1.25	<i>Pentstemon centranthifolius</i> - cs	7.00
<i>Gilia tricolor</i> - cs	1.40	<i>Pentstemon clevelandii</i> - cs	9.00
<i>Godetia amoena</i> - cs	8.50	<i>Pentstemon clevelandii connatus</i> - cs	8.00
<i>Godetia bottae</i> - cs	9.00	<i>Pentstemon cordifolius</i> - cs	9.00
<i>Grindelia robusta maritima</i> - cs	2.50	<i>Pentstemon eatoni</i> - cs	9.00
<i>Grindelia robusta platyphylla</i>	2.00	<i>Pentstemon grinnelli</i> - cs	8.00
<i>Helenium puberulum</i> - cs	5.00	<i>Pentstemon heterophyllus</i> - cs	8.00
<i>Helianthemum scoparium aldersoni</i>	7.00	<i>Pentstemon heterophyllus</i>	
<i>Hesperocallis undulata</i>	9.00	subsp <i>australis</i> - cs	9.00
<i>Holacantha emoryi</i> - cs	1.00	<i>Pentstemon labrosus</i> - cs	8.00
<i>Holodiscus discolor</i> - sprays	5.00	<i>Pentstemon laetus</i> - cs	8.00
<i>Hosackia glabra</i> - in pod	3.00	<i>Pentstemon palmeri</i> - cs	9.00
<i>Kalmia latifolia</i>	5.00	<i>Pentstemon parryi</i> - cs	8.00
<i>Iris douglasiana</i> - in pod	1.50	<i>Pentstemon spectabilis</i> - cs	9.00
<i>Iris longipetala</i> - in pod	1.50	<i>Pentstemon ternatus</i> - cs	7.00
<i>Iris missouriensis</i> - cs	2.50	<i>Pentstemon thurberi</i> - cs	8.00
<i>Juniperus scopulorum</i> - cs	1.00	<i>Phacelia campanularia</i> - cs	6.50
<i>Juniperus utahensis</i> - cs	1.00	<i>Phacelia tanacetifolia</i> - cs	6.00
<i>Juniperus virginiana</i> - cs	2.00	<i>Photinia arbutifolia</i> - db	1.50
<i>Juniperus virginiana glauca</i> - cs	3.00	<i>Photinia villosa</i> - db	1.50
<i>Juniperus californica</i> - cs	2.50	<i>Photinia megacarpa</i> - db	6.00
<i>Lathyrus splendens</i> - cs	2.50	<i>Photinia glabra</i> - db	1.50
<i>Lathyrus strictus</i> - cs	1.00	<i>Picea engelmanni glauca</i> - cs	1.50
<i>Lavatera assurgentifolia</i> - pod	1.50	<i>Picea densata glauca</i> - cs	2.50
<i>Lavendula stoechas</i> - cs	9.00	<i>Picea glauca</i> - cs	11.00
<i>Lewisia rediviva</i> - cs	10.00	<i>Picea glauca albertiana</i> - cs	5.00
<i>Libocedrus decurrens</i> - cs	2.50	<i>Picea pungens glauca</i> - cs	1.50
<i>Lilium bloomerianum</i> - cs	8.00	<i>Picea sitchensis</i> - cs	2.50
<i>Lilium parryi</i> - cs	20.00	<i>Picea canadensis glauca</i> - cs	2.50
<i>Lilium parvum</i> - cs	23.00	<i>Picea mariana</i> - cs	4.50
<i>Lilium maritimum</i> - cs	14.00	<i>Picea rugens</i> - cs	4.50
<i>Lilium washingtonianum</i> - cs	30.00	<i>Picea breweriana</i> - cs	13.00
<i>Linum lewisi</i> - cs	1.50	<i>Pinus banksiana</i> - cs	1.50
<i>Liquidambar styraciflua</i> - cs	3.50	<i>Pinus contorta</i> - cs	2.00
<i>Lobelia cardinalis</i> - cs	15.00	<i>Pinus contorta murrayana</i> - cs	2.00
<i>Lomatium utriculatum</i> - cs	3.00	<i>Pinus monticola</i> - cs	1.00
<i>Lupinus albifrons</i> - cs	3.50	<i>Pinus contorta latifolia</i> - cs	3.00
<i>Lupinus arboreus blue</i> - cs	2.50	<i>Pinus muricata</i> - cs	7.00
<i>Lupinus arboreus yellow</i> - cs	2.50	<i>Pinus flexilis</i> - cs	2.00
<i>Lupinus densiflorus</i> - cs	2.50	<i>Pinus monophylla</i> - cs	1.50
<i>Lupinus formosus</i> - cs	7.00	<i>Pinus lambertiana</i> - cs	1.25
<i>Lupinus hirsutissimus</i> - cs	11.00	<i>Pinus jeffreyi</i> - cs	1.50
<i>Lupinus menziesi</i> - cs	5.00	<i>Pinus radiata</i> - cs	1.25

CLYDE ROBIN, COLLECTOR OF WILDFLOWER SEEDS, CARMEL VALLEY, CALIFORNIA, U. S. A.

SEED

PER OUNCE

SEED

PER OUNCE

<i>Pinus ponderosa</i> - cs	1.50	<i>Sambucus glauca</i> - db	3.00
<i>Pinus sabiniana</i> - cs	1.00	<i>Sambucus nigra</i> - db	2.00
<i>Pinus aristata</i> - cs	2.50	<i>Sambucus racemosa</i> - db	3.00
<i>Pinus edulis</i> - cs	1.30	<i>Sassafras albidum</i>	2.00
<i>Pinus attenuata</i> - cs	3.30	<i>Scrophularia californica</i> - cs	9.00
<i>Pinus torreyana</i> - cs	3.50	<i>Sequoia gigantea</i> - cs	2.50
<i>Pinus resinosa</i> - cs	5.00	<i>Sequoia sempervirens</i> - cs	2.00
<i>Pinus coulteri</i> - cs	2.00	<i>Sheperdea argentea</i>	2.00
<i>Pinus strobus</i> - cs	3.00	<i>Simmondsia californica</i> - cs	1.00
<i>Pinus rigida</i> - cs	3.00	<i>Sisyrinchium bellum</i> - cs	6.00
<i>Pinus quadrifolia</i> - cs	4.50	<i>Sisyrinchium californicum</i> - cs	13.00
<i>Pinus canariensis</i> - cs	2.00	<i>Solidago californica</i> - cs	9.00
<i>Pinus cembra</i> - cs	1.00	<i>Stanleya pinnata</i> - cs	8.00
<i>Pinus cembroides edulis</i> - cs	1.50	<i>Symporicarpos rivularis</i> - db	8.00
<i>Pinus echinata</i> - cs	5.00	<i>Syringa vulgaris</i> - cs	1.00
<i>Pinus halepensis</i>	1.50	<i>Tetracoccus dioicus</i> - cs	3.00
<i>Pinus halepensis brutia</i> - cs	1.50	<i>Tetragonia expansa</i> - db	3.00
<i>Pinus khasya</i> - cs	2.50	<i>Thuya plicata</i> - cs	1.50
<i>Pinus koraiensis</i> - cs	1.50	<i>Thuya orientalis</i> - cs	1.50
<i>Pinus merkusi</i> - cs	4.50	<i>Tilia americana</i> - cs	1.00
<i>Pinus mugo</i> - cs	1.50	<i>Tilia cordata</i> - cs	.80
<i>Pinus mugo gallica</i> - cs	2.00	<i>Torreya californica</i> - db	1.30
<i>Pinus parviflora</i> - cs	2.50	<i>Tsuga heterophylla</i> - cs	4.00
<i>Pinus pinea</i> - cs	1.50	<i>Tsuga mertensiana</i> - cs	4.00
<i>Pinus ponderosa scopulorum</i>	3.00	<i>Tsuga canadensis</i> - cs	3.50
<i>Pinus pumila</i> - cs	2.00	<i>Tsuga caroliniana</i> - cs	5.00
<i>Pinus taeda</i> - cs	4.00	<i>Tsuga diversifolia</i> - cs	3.50
<i>Pinus thunbergi</i> - cs	2.00	<i>Tsuga sieboldi</i> - cs	3.00
<i>Platanus racemosa</i> - cs	3.00	<i>Umbellularia californica</i> - db	1.30
<i>Psuedotsuga taxifolia</i> - cs	3.50	<i>Verbascum thapsus</i> - cs	9.00
<i>Psuedotsuga taxifolia glauca</i> - cs	3.50	<i>Viburnum acerifolium</i>	1.00
<i>Psuedotsuga taxifolia viridis</i> - cs	3.00	<i>Viola pedunculata</i> - cs	23.00
<i>Psuedotsuga macrocarpa</i> - cs	3.50	<i>Vitis vulpina</i>	1.00
<i>Psuedotsuga menziesi</i> - cs	3.00	<i>Vitis californica</i> - db	6.00
<i>Psuedotsuga menziesi caesia</i> - cs	3.50	<i>Washingtonia filifera</i>	1.00
<i>Prosopsis pubescens</i> - in pod	.50	<i>Washingtonia robusta</i>	1.00
<i>Quercus agrifolia</i>	.50	<i>Wyethia angustifolia</i> - cs	2.00
<i>Quercus lobata</i>	.50	<i>Xerophyllum tenax</i> - cs	1.00
<i>Quercus borealis</i>	.50	<i>Yucca brevifolia</i> - cs	2.50
<i>Quercus palustris</i>	.50	<i>Yucca glauca</i> - cs	1.50
<i>Quercus chrysolepis</i>	.50	<i>Yucca filamentosa</i> - cs	3.00
<i>Quercus dumosa</i>	.50	<i>Yucca whipplei</i> - cs	2.50
<i>Quercus dumosa turbinella</i>	.50	<i>Yucca mohavensis</i> - cs	1.00
<i>Quercus engelmanni</i>	.50	<i>Zygadenus fremonti</i> - cs	6.00
<i>Quercus kellogi</i>	.50		
<i>Quercus morehus</i>	.50		
<i>Quercus palmeri</i>	.50		
<i>Quercus wislizeni frutescens</i>	.50		
<i>Ranunculus californicus</i> - cs	8.00		
<i>Rhamnus californica</i> - db	1.50		
<i>Rhamnus californica tomentella</i>	1.80		
<i>Rhamnus crocea</i> - db	7.00		
<i>Rhamnus ilicifolia</i> - db	7.00		
<i>Rhamnus purshiana</i> - db	1.50		
<i>Rhamnus cathartica</i> - db	2.00		
<i>Rhamnus davurica</i> - db	2.00		
<i>Rhamnus frangula</i> - db	1.50		
<i>Rhus canadensis</i>	1.50		
<i>Rhus ovata</i> - db	4.00		
<i>Rhus trilobata</i>	1.00		
<i>Romneya coulteri</i> - cs	17.00		
<i>Rosa californica</i> - hips	2.00		
<i>Salvia columbariae</i> - cs	2.00		
<i>Salvia carnosa</i> - cs	10.00		
<i>Salvia pachyphyllea</i> - cs	10.00		
<i>Salvia eremostachya</i> - cs	10.00		
<i>Salvia mellifera</i> - cs	4.00		
<i>Salvia apiana</i> - cs	5.00		
<i>Salvia clevelandi</i> - cs	13.00		
<i>Salvia vaseyi</i> - cs	4.50		
<i>Salvia carduacea</i> - cs	4.50		
<i>Sambucus canadensis</i> - db	1.00		

NEW ADDITIONS 1957

<i>Dracaena australis</i> - cs	2.50
<i>Dracaena indivisa</i> - cs	2.50
<i>Camphora officianalis</i> - cs	1.50
<i>Cedrus deodara</i> - cs	2.00
<i>Cupressus sempervirens</i> - cs	1.50
<i>Erythrina fabelliformia</i> - cs	4.00
<i>Calochortus kennedyi</i> - cs	7.00
<i>Dasyliion wheeleri</i> - cs	8.00
<i>Yucca arizonica</i> - cs	5.00
<i>Agave parryi</i>	6.00
<i>Nolina parryi</i>	7.00
<i>Yucca elata</i> - cs	5.00
<i>Ferrocactus wislizeni</i>	8.00
<i>Atriplex breweri</i> - cs	4.00
<i>Rhus integrifolia</i> - cs	2.00
<i>Rhus laurina</i> - cs	2.00
<i>Pinus patula</i> - cs	5.00
<i>Yucca macrocarpa</i> - cs	7.00

cs - clean seed

db - dried berries